

Athens the	25.07.2017
Inspection Lot	020000432301
Sales Order No	15008185 / 220
Delivery Document	0085150251
Certificate No	1000320669
Customer's Ref No	LOADING 25/7

Declaration of Conformity
according to EN 1655


DECLARATION OF CONFORMITY

The products, listed here-below in the shown quantities, are made from *Cu-DHP* and conform to the specifications *EN 1057, R290*. as well as to the conditions and requirements of the purchaser *COPPER COM D.O.O.*.

Designation	COPPER TUBES 35,000x1,50x5000 STRAIGHT FOR SANITARY USES,
Quantity	543,00 KG

The quality assurance system applied to monitor the production of the above products, is in compliance to the requirements of ISO 9001/2008 and independently certified by TUV HELLAS, with registration No 041070119.

The Q.A. Manager



D. SKARMOUTSOS



HALCOR S.A., 57th km National Road Athens-Lamia,
GR 32011 Inofyta Viotias

08
001 CPR 06.2013

EN 1057

Seamless, round copper tubes for water and gas in sanitary and heating applications

Intended to be used in :

- Drainage, and disposal of other liquids and gaseous waste;
- Supply of fuels, oil and other liquids (including hot water heating systems);
- Fire suppression and extinguishing systems;
- Supply of gases, pressure and vacuum systems;
- Storage fixtures.

Product designation:

COPPER TUBES 35,000x1,50x5000 STRAIGHT FOR SANITARY USES,

Reaction to fire:	Class A.1
Crushing strength:	NPD
Internal pressure:	NPD
Dimensional tolerances:	pass
Resistance to high temperature:	Suitable for use to 120 °C
Weldability:	pass
Tightness: gas and liquid:	pass
Durability of crushing strength,	