



General informat	ion											
	Supplier	Haier Air conditioning										
Outdoor unit			1U68REMFRA	1U25KEHFRA-NR	1U35KEHFRA-NR	1U50S2SJ2FA-NR	2U50S2SM1FA-3	2U50S2SM1FA-3	2U40S2SM1FA	2U50S2SM1FA	2U50S2SM1FA-3	2U40S2SM1FA
			AS68TEDHRA-CL	AS25XCHHRA-NR	AS35XCHHRA-NR	AS50S2SF2FA-3	AS35S2SF2FA-3+	AS25PBAHRA+	AS25S2SF2FA-3+	AS35S2SF2FA-3+	AS25THMHRA-C+	AS25THMHRA-C
Indoor unit		-	-	-	-	AS35S2SF2FA-3	AS25PBAHRA	AS35S2SF2FA-3	AS35S2SF2FA-3	AS25THMHRA-C	AS25THMHRA-0	
Sound power	Outdoor unit	dB	65	62	63	63	63	63	62	63	63	62
	Indoor unit	dB	60	55	56	57	55	54	55	55	54	54
Refrigerant	Туре		R32	R32	R32	R32	R32	R32	R32	R32	R32	R32
	GWP	kgCO _{2eq}	675	675	675	675	675	675	675	675	675	675
	Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1 kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.											
Cooling mode												
cooling performance	SEER		7.1	8.50	8.50	7.2	6.5	6.1	6.2	6.5	6.1	6.2
	Energy class		A++	A+++	A+++	A++	A++	A++	A++	A++	A++	A++
	Qce	kWh/year	350	107	144	253	269	275	226	269	275	226
	Energy consumption											
	Pdesignc	kW	7	2.60	3.50	5.2	5.0	4.8	4.0	5.0	4.8	4.0
Heating mode: A			1									
Heating performance		erature °C	-10	-10	-10	-10	-10	-10	-10	-10	-10	-10
	SCOP		4	5.10	5.1	4.6	4.0	4.0	4.0	4.0	4.0	4.0
	Energy class		A+	A+++	A+++	A++	A+	A+	A+	A+	A+	A+
	Qhe kWh/year 1963 824 988 1401 1645 1 1155 1645 1 1155											
	Energy consumption is based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.											
	Pdesignh	kW pacity kW	5.6 0.8	3.00 0.2	3.60 0.4	4.6 0.8	4.7 0.6	4.0	3.3 0.1	4.7 0.6	4.	3.3 0.6
	Back-up heating ca	ipacity kw	0.8	0.2	0.4	0.8	0.6	0.7	0.1	0.6	0.7	0.6
neating mode. v	Pdesignh tempera	iture °C	2	2	2	2	2	2	2	2	2	2
Heating performance	SCOP	iture c	5.3	5.10	5.10	5.6	5.1	5.1	5.1	5.1	5.1	5.1
	Energy class		A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++
	Qhe	kWh/year	872	445	536	1190	1208	823	878	1208	823	768
	Energy consumptio			_								
	Pdesignh	kW	3.3	1.62	1.95	4.8	4.4	3.	3.2	4.4	3.	2.8
	Back-up heating ca	pacity kW	0	0	0	0	0	0	0	0	00	0
Heating mode: 0		. ,	1	l.	1	L.			1	l		-
Heating performance	Pdesignh tempera	ture °℃	-	-	-	-	-	-	-	-	-	-
	SCOP		-	-	-	-	-	-	-	-	-	-
	Energy class		-	-	-	-	-	-	-	-	-	-
	Qhe	kWh/year	-	-	-	-	-	-	-	-	-	-
	Energy consumption	on is based on s	tandard test re	sults. Actual	energy consu	nption will dep	oend on how th	ne appliance i	s used and wh	ere it is locat	ed.	
	Pdesignh	kW	-	-	-	-	-	-	-	-	-	-
	Back-up heating ca	pacity kW	-	-	-	-	-	-	-	-	-	-